



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 31/14, 31/19, 31/045, 31/748	A1	(11) International Publication Number: WO 97/29742 (43) International Publication Date: 21 August 1997 (21.08.97)
(21) International Application Number: PCT/US96/02036 (22) International Filing Date: 16 February 1996 (16.02.96) (71) Applicant: KUNDSIN LEDUC LENMARK INC. [US/US]; 7505 Highway 7, Minneapolis, MN 55426 (US). (72) Inventor: KUNDSIN, Ruth, B.; 71 Pratt Road, Squantum, MA 02171 (US). (74) Agent: BRUESS, Steven, C.; Merchant, Gould, Smith, Edell, Welter & Schmidt, 3100 Norwest Center, 90 South Seventh Street, Minneapolis, MN 55402 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: LUBRICATING AND/OR GERMICIDAL COMPOSITION (57) Abstract The present invention is directed to a lubricating and/or germicidal composition, and a method of using the composition as an antiseptic for the hands or as a disinfectant for other inanimate objects, and/or for alleviating or preventing drying of skin. The composition is an alcoholic solution containing cetyl alcohol, glycolic acid, benzalkonium chloride, and a major amount of isopropyl alcohol. In a preferred use, the composition is applied to the surface of the hands as an antiseptic film or "invisible glove" beneath a surgical or other plastic glove to inhibit microbial growth and alleviate drying of the skin.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

LUBRICATING AND/OR GERMICIDAL COMPOSITION

BACKGROUND OF THE INVENTION

Bacteria from the hand of a surgeon or other operating room personnel can be the source of serious infections in surgery patients. While transfer of bacteria is substantially reduced by routine surgical scrubbing procedures, it is prudent to take additional steps to eliminate bacteria and other microorganisms that may grow under surgical gloves. If left unchecked, these organisms could escape through an all too common puncture to the glove and infect the patient. To this end, a germicidal solution is often coated onto the hands before slipping on surgical gloves. Optimally, the coating remains on the skin surface of the hands during a surgical operation to inhibit bacterial growth of bacteria. However, current germicidal solutions cause significant drying of the skin, and do not provide a coating which allows for easy donning or removal of surgical gloves.

Therefore, an object of the present invention is to provide a composition which is an effective germicide with a high level of moisturizing activity on the skin of the user. Another object is to provide an effective germicidal composition which may be coated onto skin to provide an antiseptic film which will allow for ready placement and removal of gloves over the skin. Yet another object is to provide a composition that is useful for lubricating the skin to inhibit drying.

SUMMARY OF THE INVENTION

These and other objects are achieved by the present invention which is directed to a lubricating and/or germicidal composition, and a method of using the composition as an antiseptic lotion for the hands or a disinfectant for inanimate objects, and/or for alleviating or preventing drying of skin.

The composition contains isopropanol, a germicidally-active quaternary ammonium salt, cetyl alcohol and glycolic acid. The quaternary ammonium salt

is an effective germicide for vegetative cells, fungi, algae and viruses. The combination of isopropanol and quaternary in the present composition provides substantially instant disinfection of a surface on
5 contact, and a synergistic effect which increases the effectiveness of each of their respective activities as a germicide. In addition, the alcohol provides an initial fast-acting germicidal activity, and evaporates leaving a germicidal residue of the quaternary
10 substantially evenly distributed over the surface for a lasting germicidal effect, particularly when the treated surface becomes wet. This feature provides a distinct advantage for retaining the composition on the treated surface in the event that the treated surface is
15 contacted with an infectious material. The germicidal residue remains on the surface and will retain its activity on an undisturbed surface for up to about 1 year, or until the composition is removed by washing the treated surface, for example, with conventional soap and
20 water.

The cetyl alcohol and glycolic acid in the composition act in combination to prevent drying of the skin following application of the alcohol and to add lubricity to the composition. The cetyl alcohol further
25 acts as an emollient and emulsion modifier in the composition. The glycolic acid is a newly recognized cosmetic additive with moisturizing properties.

The invention further provides a method of inhibiting microbial growth on a substrate by contacting
30 the surface of the substrate with the germicidal composition. The composition may be used as a disinfectant for countertops and other inanimate objects, or as an antiseptic lotion which is applied to the hands or other skin surface. The composition forms
35 a protective germicidal barrier when applied to the skin or other hard surface. In a preferred use, the composition is used in conjunction with gloves or other

protective outerwear that are utilized, for example, by a surgeon or other health care provider, a food handler, and the like. The composition provides a moisturizing germicidal film on the surface of the skin which act as
5 an antiseptic "invisible glove" beneath a surgical or other plastic glove. In another preferred use, the composition is used for lubricating the skin to alleviate or prevent drying.

The invention also contemplates an article of
10 manufacture, or kit, for use in inhibiting microbial growth on a substrate. The kit is composed of, in combination, the germicidal composition packaged within containing means, optionally with instruction means comprising information for the use of the composition
15 and/or other related literature, a pair of surgical glove or other outerwear, and/or a cloth or other material for applying the composition.

DETAILED DESCRIPTION OF THE INVENTION

20 The invention provides a topical, lubricating and/or germicidal composition for applying to a substrate such as the hands or an inanimate object. The composition is an alcoholic solution containing cetyl alcohol, glycolic acid, benzalkonium chloride, and a
25 major amount of isopropyl alcohol. The composition is an effective germicide against bacteria, fungus, yeast, and viruses, and/or for alleviating or preventing drying of the skin of the user.

Cetyl alcohol, a C_{16} fatty alcohol, is included
30 in the composition as an emulsifier and as a lubricant to allow gloves to be more easily slipped onto and off of the hands. The composition contains about 1-25 wt-% cetyl alcohol, preferably about 1-15 wt-%, preferably about 1-10 wt-%, preferably about 2-3 wt-%, preferably
35 about 1.5-2.5 wt-%, more preferably about 2.5 wt-%.

The composition includes an effective bactericidal amount of benzalkonium chloride, a

quaternary ammonium antimicrobial agent that is commercially available, for example, as Zephiran[®] chloride (Winthrop), 17% concentrate. The alkyl groups of the quaternary range from C₈ to C₁₈. The composition includes about 0.1-1.5 wt-% of the 17% solution of benzalkonium chloride, preferably about 0.1-1 wt-%, preferably about 0.1-0.8 wt-%, preferably about 0.1-0.5 wt-%, more preferably about 0.13%.

The composition is formulated with a major amount of isopropyl alcohol. Although not intended to limit the scope of the invention, it is believed that the isopropyl alcohol enhances the germicidal action of the remaining ingredients, particularly the bactericidal effects of the benzalkonium chloride. The isopropyl alcohol also provides for an even distribution of the ingredients over the skin or other substrate. The composition includes about 60-98% isopropyl alcohol, preferably about 70-98%, preferably 80-98%, more preferably about 90-98%, more preferably about 95%.

Surprisingly, it has been found that the combination of cetyl alcohol and glycolic acid with the other named ingredients provides a composition having a high level of germicidal activity with increased lubricating effects which enhance the feel of the composition on the skin of the user. The glycolic acid and cetyl alcohol act to prevent drying of the skin by the isopropyl alcohol in the composition. To achieve this level of activity, the composition includes an effective lubricating amount of glycolic acid, preferably about 0.1-3 wt-%, preferably about 0.1-1 wt-%, preferably about 0.1-0.4 wt-%, preferably about 0.2-0.4 wt-%, preferably about 0.2-0.3 wt-%, more preferably about 0.25 wt-%.

The composition may optionally include minor amounts of additive agents for specific uses as desired. The composition contains the ingredients in a concentration such that dilution by water on the skin or

in spills of contagious material will not diminish or interfere with its effectiveness as a germicide.

The concentration of ingredients in the composition is effective to decrease the microbial count on the skin or other substrate by about 95-100% within about 5-40 seconds after contact, more preferably within about 5-10 seconds.

In a preferred embodiment of the invention, the composition is formulated with about 1-3 wt-% cetyl alcohol, about 0.1-0.4 wt-% glycolic acid, about 0.1-1 wt-% benzalkonium chloride, and about 90-98 wt-% isopropyl alcohol.

The present compositions exhibit improved efficacy as a combination germicide and moisturizing lotion, and have particular usefulness as an antiseptic lotion applied to the hands or other skin surfaces. The mixture of ingredients synergistically provide a germicidal effect and an improved moisturizing effect on the skin. The composition also enables gloves, such as surgical gloves and the like, to be more easily slipped over the skin.

The composition when dried on the skin remains intact as a film and provides a persistent residual germicidal coating on the surface of the skin until washed off. The composition may be removed by washing with a commercial hand soap or other like detergent. On a hard surface, undisturbed, the germicidal residue can last up to about one year.

The compositions are an effective germicide against a wide assortment of microorganisms. The composition is effective in destroying gram-negative and gram-positive organisms on contact. For example, the composition may be used as an effective bactericide, for example, against *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Salmonella choleraesuis*, *Escherichia coli*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Streptococcus pyogenes*, *Enterobacter agglomerans*,

Serratia marcescens, *Legionella pneumophila*, *Leucothrix mucor*, and *Mycobacterium tuberculosis*, and the like.

The composition provides effective fungicidal action against organisms such as *Candida albicans*, *Trichophyton*
5 *mentagrophytes*, *Aspergillus niger*, *Myrathecium verrucaria*, *Trichoderma viride*, *Chaetomium globosum*, and the like. The composition is also an effective algicide against algae such as *Stigeoclonium* spp., *Oscillaturia*
10 *tenuis*, *Anacystis cylindrica* and other like blue-green algae, and the like. In addition, the composition possesses effective virucidal activity against such viruses as hepatitis B virus, rhinovirus, parainfluenza virus, adenovirus, rabies, and human immunodeficiency virus (HIV), hydrophilic viruses such as Cocksackie
15 virus, echo virus, and poliovirus, lipophilic viruses such as herpes simplex, vaccinia virus, and influenza virus,, and the like. It is also effective in destroying cysts of protozoa such as *Entamoeba histolytica*.

20 The compositions are generally prepared by combining the ingredients in a suitable mixing vessel. The ingredients may be added simultaneously or sequentially, and mixed together to form an alcoholic solution. The compositions may be prepared at about
25 room temperature (25°C), and are stable for up to about 6-12 months when stored at about room temperature (25°C).

The germicidal compositions of the invention are advantageously used by persons whose occupation
30 requires them to wear gloves, for example, a surgeon, food handler, hair dresser, and the like. In use, the composition is applied topically to the hands, preferably following a pre-operative scrub-up or other hand wash with a detergent or antiseptic. The isopropyl
35 alcohol is allowed to evaporate, wherein a film-like coating is formed on the surface of the skin. The

composition remains on the surface of the skin for a period of time until washed off.

Advantageously, the composition may be retained on the skin to provide a continuous residual
5 germicidal action over an extended period of time until washed off. To achieve such extended germicidal activity, a glove made of plastic, latex, rubber and the like, for example, a surgical glove, or other like
10 outerwear, may be placed over the dried composition on the skin. The combination of ingredients provides a composition which will form a film on the skin surface which is smooth and slippery to the touch to allow
15 gloves to be more easily slipped on and off the hands, thus facilitating a handling step where accidental bacterial contamination could occur. In addition, the
ingredients, particularly the glycolic acid, reduces dehydration of the skin from wearing gloves over an extended period of time.

The composition may also be used as a
20 disinfectant to disinfect inanimate objects such as countertops, examination tables, especially after spills of infectious material in a hospital or laboratory setting where hazardous wet spills are frequently
25 encountered, and the like. In use, the substrate to be disinfected is contacted with the composition by spraying, wiping with a cloth or sponge, submersion in a container of the composition, and the like. The
composition is allowed to remain on the surface of the object until it evaporates. The germicidal composition
30 may remain on the object, or may be removed either by wiping or rinsing with soap and water. Additionally, the composition may be used as a rapid spray on hazardous spills of patient secretions, excretions, blood, and the like.

35 The germicidal composition may be packaged as an article of manufacture, or kit, for use in disinfecting inanimate objects and as an antiseptic

lotion on skin surfaces. The kit includes, the composition packaged within containing means, for example, a foil or plastic pouch, or a vial, jar or other like container, optionally with means for spraying, or impregnated in a packaged absorbent fibrous or cellular sheet material which may be dropped, pressed, or rubbed onto the surface of the skin or object to release an effective amount of the composition thereon, and other like containers. The kit may further include instruction means composed of information relating to the use of the composition, pharmaceutical information, and other like literature, and/or, gloves such as surgeons gloves, and/or a cloth, tissue or other cellulosic material for spreading the composition onto a hard surface. The instruction means may be in the form of a label or tag attached to the packaging, or a printed package insert within the packaging and the like.

The invention will be further described by reference to the following detailed examples, wherein the methodologies are as described below. These examples are not meant to limit the scope of the invention that has been set forth in the foregoing description. Variation within the concepts of the invention are apparent to those skilled in the art. The disclosures of the cited references are incorporated by reference herein.

EXAMPLE I**Preparation of Germicidal Lubricating Lotion**

A germicidal composition was prepared with the ingredients as shown in Table I, below.

5

TABLE I.

	<u>AMOUNT</u>	<u>WEIGHT %</u>
Cetyl Alcohol	2000 gm	2.5%
Zephiran Concentrate (17%)	(615 ml) 104.55 gm	0.13%
10 Glycolic Acid	200 gm	0.25%
Isopropyl Alcohol Q.S.	80,000 ml	96%

To prepare a germicidal lotion, 2000 grams cetyl alcohol (Ciba-Geigy Corp., Woodbridge, NJ), 250
15 grams glycolic acid (hydroxyacetic acid; Aldrich Chemical Company) and 615 ml benzalkonium chloride (Zephiran chloride, concentrate, 17%; Winthrop Pharmaceuticals, New York, N.Y.) were dissolved in isopropyl alcohol (99%) and mixed at room temperature
20 until enough isopropyl alcohol was added to the mixture to form a 80 liter solution.

The final composition contained 2.5% cetyl alcohol, 0.13% benzalkonium chloride, 0.25% glycolic acid, and 96% isopropyl alcohol (99%).

25

EXAMPLE II**Use of the Germicidal Lubricating Lotion as an Antiseptic**

The composition prepared in Example 1 was
30 applied to the surface of the hands to test its effectiveness against normal skin flora such as staphylococci, micrococci, and diphtheroids.

Samples of bacteria were taken from the surface of the hands prior to application of the
35 composition. The composition (1-2 ml) was sprayed onto the hands as a thin coating. The isopropyl alcohol evaporated within 2-4 seconds, and the composition formed as an even, inconspicuous film on the skin

surface. After 1.5 hours, samples were again taken from the skin surface. The bacterial counts before and after applying the composition is shown in Table II below.

5

TABLE II

	<u>FINGER TIPS</u> <u>LEFT HAND</u>	<u>FINGER TIPS</u> <u>RIGHT HAND</u>
Pre-Treatment	102	37
10 Post-Treatment ¹	5	1
% Reduction	95%	97%

- 15 ¹ Following wetting of the hand with 1-2 ml of the composition and allowing the composition to air dry.

WHAT IS CLAIMED IS:

1. A composition, comprising:
 - (a) about 1-25 wt-% cetyl alcohol;
 - (b) an effective lubricating amount of glycolic acid;
 - (c) an effective bactericidal amount of benzalkonium chloride; and
 - (d) a major amount of isopropyl alcohol;the combination of isopropyl alcohol, glycolic acid and benzalkonium chloride being germicidally effective.
2. The composition according to claim 1, comprising about 1-10 wt-% cetyl alcohol.
3. The composition according to claim 1, comprising about 0.1-3 wt-% glycolic acid.
4. The composition according to claim 3, comprising about 0.2-0.3 wt-% glycolic acid.
5. The composition according to claim 1, comprising about 60-98% isopropyl alcohol.
6. The composition according to claim 1, comprising about 90-98% isopropyl alcohol.
7. The composition according to claim 1, comprising about 0.1-1.5 wt-% benzalkonium chloride.
8. The composition according to claim 7, comprising about 0.1-0.5 wt-%, benzalkonium chloride.
9. The composition according to claim 1, wherein the composition is effective in inhibiting the growth of a microorganism selected from the group consisting of gram-positive bacteria, gram-negative

bacteria, fungi, viruses, alga, and any combination thereof.

10. The composition according to claim 1, wherein the composition is effective in alleviating or preventing drying of the skin.
11. The composition according to claim 10, wherein the composition is effective against a bacteria selected from the group consisting of *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Salmonella choleraesuis*, *Escherichia coli*, *Klebsiella pneumoniae*, *Streptococcus pyogenes*, *Enterobacter agglomerans*, *Serratia marcescens*, *Legionella pneumophila*, *Listeria monocytogenes*, *Leucothrix mucor*, *Mycobacterium tuberculosis*, and any combination thereof.
12. The composition according to claim 11, wherein the composition is effective against a fungus selected from the group consisting of *Candida albicans*, *Trichophyton mentagrophytes*, *Aspergillus niger*, *Myrathecium verrucaria*, *Trichoderma viride*, and *Chaetomium globosum*, and any combination thereof.
13. The composition according to claim 11, wherein the composition is effective against an alga selected from the group consisting of *Stigeoclonium* spp., *Oscillatoria tenuis*, any *Anacystis cylindrica*.
14. The composition according to claim 11, wherein the composition is effective against a virus selected from the group consisting of rhinovirus, parainfluenza virus, adenovirus, rabies, human immunodeficiency virus, Coxsackie virus, echo virus, poliovirus, herpes simplex, vaccinia virus, influenza virus, and any combination thereof.

15. The composition according to claim 11, wherein the composition is effective against *Entamoeba histolytica*.
16. A composition, comprising:
 - (a) about 1-25 wt-% cetyl alcohol;
 - (b) about 0.1-3 wt-% glycolic acid;
 - (c) about 0.1-1.5 wt-% of benzalkonium chloride;and
 - (d) about 60-98 wt-% isopropyl alcohol;the combination of isopropyl alcohol, glycolic acid and benzalkonium chloride being germicidally effective.
17. A method of disinfecting a substrate, comprising: contacting the substrate with the composition of claim 1.
18. A method of lubricating and inhibiting drying of skin, comprising: contacting the skin with the composition of claim 1.
19. The methods according to claims 17 or 18, wherein the composition of claim 1 is composed of:
 - (a) about 1-25 wt-% C₁₆ fatty alcohol;
 - (b) about 0.1-3 wt-% glycolic acid;
 - (c) about 0.1-1.5 wt-% of benzalkonium chloride;and
 - (d) about 60-98 wt-% isopropyl alcohol.
20. The methods according to claims 17 or 18, further comprising:

allowing the composition to dry to a film on skin; and maintaining the composition on the skin for a time effective to deliver a germicidal and/or lubricating effect to the skin.

21. The method according to claim 17, wherein the substrate is a hand, and the method further comprises applying a glove onto the hand over the composition.
22. An article of manufacture comprising the composition of claim 1 packaged within containing means, and instruction means for using the composition for inhibiting the growth of a microorganism on human skin or an inanimate object, or for lubricating the skin to inhibit drying, or a combination thereof.
23. The article according to claim 22, wherein the containing means is selected from the group consisting of a vial, jar, pouch, absorbent fibrous sheet, or any combination thereof.
24. The article according to claim 23, wherein the containing means comprises means for spraying.
25. The article according to claim 22, wherein the instructions means is a label or tag attached to the packaging, a printed package insert, or a combination thereof.
26. The article according to claim 22, further comprising a plastic glove, a material for applying the composition to a substrate, or a combination thereof.
27. The use of the composition of claim 1 for disinfecting a substrate.
28. The use of the composition of claim 1 for alleviating or preventing drying of skin.

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : A61K 31/14, 31/19, 31/045, 31/748

US CL : 514/557, 558, 642, 724, 844, 846, 847, 873

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 514/557, 558, 642, 724, 844, 846, 847, 873

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONEElectronic data base consulted during the international search (name of data base and, where practicable, search terms used)
CAS-ONLINE, APS**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
E, X	US, A, 5,492,932 (KUNDSIN) 20 February 1996, see the entire document.	1-30



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Z" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

19 JUNE 1996

Date of mailing of the international search report

03 JUL 1996

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

KEVIN WEDDINGTON

Telephone No. (703) 308-1235

Form PCT/ISA/210 (second sheet)(July 1992)*

29. The use of the composition of claim 1 for the manufacture of a medicament for disinfecting skin.
30. The use of the composition of claim 1 for the manufacture of a medicament for alleviating or preventing drying of skin.